

## Research Paper: A Tool for Modeling and Optimization of Residential Electricity Consumption

presented by:  
Moritz Eysholdt

### Outline

- Who we are
- Motivation and related concepts
- Focus and Objectives
- The Model
- Technology
- Screenshots
- Conclusion and Outlook
- Its all open source @ sourceforge.net!

### Who We Are

- Students (8): Michael Belasus, Christian Bley, Mark Eilers, Michael Erlmann, Christian Hinrichs, Malte Hurrelmann, Ulrich Denecke, Moritz Eysholdt
- Supervisors: Prof. Michael Sonnenschein, Dr. Ute Vogel, Jörg Bremer, Barbara Rapp
- University of Oldenburg, Germany

### What We Did

- Projektgruppe DIEM: Demonstrator InHouse-Energiemanagement
- One year of work, approx. 16 hours per person per week

**A Tool for Modeling and Optimization of  
Residential Electricity Consumption**

## Motivation #1: Electricity Supplier


- Adjust imbalances of power supply and power demand
  - Demand varies based on consumer habits
  - Supply of renewable energy based on weather conditions: sun, wind, waves, etc.
  - Production of balancing energy is expensive
  - Storage of electricity is difficult and expensive

## Demand Side Management (DSM)

...summarizes all utility activities that influence power consumption on the customer's side of the meter.

## Fluctuating Power Tariffs

- Already available for major customers
- Field tests with residential electricity consumers
  - Eckernförde, Germany
  - California, USA



## Motivation #2: Electricity Consumer

- a) Minimize electricity consumption
  - Efficient devices
  - Avoid unnecessary consumption
- b) Minimize electricity costs
  - (a)
  - Shifting loads to times when cheap electricity is available

## Our Focus

- Private households
  - Consumption in 2004 in Germany: 140TWh
  - This equates to 27% of the total consumption
  - Tend to have a lack of awareness for power consumption

## Our Solution

- Model and simulate the whole household's power consumption, including:
  - Devices and their usages
  - Tariffs
  - Loads

## Objective #1: Awareness

- Create awareness among the users for the impact of single devices on the total power consumption
  - Basic requirement to reduce power consumption

## Objective #2: Detect hidden devices

- Detect hidden devices by comparing measured loads with simulated loads
  - Devices
    - that consume electricity permanently or periodically
    - that the consumer might be oblivious about

Boiler?


Heater?

### Objective #3: Device Substitution


- Suggest devices with same functionality but less power consumption
  - We classify devices based on
    - Energy efficiency grade
    - Functionality

### Objective #4: Schedule Optimization

- Optimize the activation intervals of devices based on a fluctuating tariff while preserving user defined constraints
- >Load Shifting




### Model



### Architecture

Client: Desktop Application



Server: Web Application



The Server is optional

## Client

- Eclipse-Technology:
  - RCP: Editors, Views, Perspectives
  - EMF: Data Model, XML-Support
  - GEF: Graphical Editors



## Server


- Generally: Success and effort of modeling heavily depend on availability of data
- Therefore: A Server as database for:
  - Devices
  - Tariffs
- Users can upload their devices to the server, administrators can verify these
- The server can automatically import tariff descriptions from other servers



## Server

- Runs within Servlet Container (Tomcat)
- Generates HTML via JSPs
- Uses the same EMF data model as the Client
- Persists its data via EMF Teneo, Hibernate and a PostgreSQL Datenbank
- Communicates with the client via XML over HTTP



PostgreSQL






## Conclusion

- Pro: It works
  - Find hidden power consuming devices
  - Substitute Devices
  - Schedule optimization
- Contra:
  - The effort of modeling is still tremendous
  - It is difficult and time-consuming to obtain good data, however, this is critical for usable simulation results

## Outlook

- Applicability not restricted to private households
  - Tool usable for other fields without adaptation
  - Just the data would have to be changed
- Integration of periphery:
  - Sensors: automatic monitoring of power consumption
  - Actuators: Schedules could be "executed", modeled devices would be controlled automatically
- Upcoming project: Subtask in the BMWi project eTelligence

## Download, Inspect, Modify, Continue or Fork!



## Sources

- DSM: Gellings, C. W. and Chamberlin, J. H., Demand-Side Management: Concepts and Methods, The Fairmont Press, Inc., 1988
- Stromverbrauch Deutscher Privathaushalte 2004: VDEW (Verband der Deutschen Elektrizitätswirtschaft), Endenergieverbrauch in Deutschland 2004, Energie Spezial, Berlin (in German), 2004
- Prager, W., Entwicklung und Test eines lastabhaengigen Echtzeit-Tarifs in Eckernfoerde, Energiestiftung Schleswig Holstein, Kiel (in German), 1997
- Orans et al., Phase 1 Results: Incentives and Rate Design for Energy Efficiency and Demand Response, Energy and Environmental Economics. DRRC Report, 2006